

RZ3019			
Brand	Husqvarna		
9 Digit Sku #	966 58 21-01		
UPC/EAN Code			
Optional deck #	N/A		
Country(s) sold in			
Product Description (call out key features)			
1			
2			
3			
4			
5			
6			
Image	Image Bank ID#	New Image Needed?	
*Only need to fill out one measurement or dimension, etc. PIM will convert to other			
Engine			
Engine manufacturer	Briggs & Stratton		
Engine name (the series)	Endurance		
Engine type (actual model)			
Power	19.5		Horsepower (energy imperial)
Power			Kilowatt (energy metric)
Cylinder displacement*			Cubic centimeter (volume metric)
			Cubic inch (volume imperial)
Cylinders			
Engine cooling			
Generator			Ampere (energy metric)
Battery			Volt (energy)
			Ampere per hour (energy consumption)
Air Filter type			
Fuel Type			
Fuel tank volume*	11.4		Liter (volume metric)
	3		US gallon (volume wet imperial)
Fuel tank location			
Engine lubrication type			
Oil capacity			Liter (volume metric)
			Fluid ounces (volume wet imperial)
Oil filter		Y/N	
Drive System			
Transmission type (automatic, hydrostatic, EZT, IZT, ZT 2800, manual, worm gear etc)	EZT		
Transmission manufacturer (Tuff Torq, Hydro-Gear, Tuff Torq/Hydro-Geart, etc)	Hydro-Gear		
Transmission model			
Pump displacement			Cubic centimeter (volume metric)
Wheel motor displacement*			Cubic centimeter (volume metric)
			Cubic inch (volume imperial)
Fan-cooled pumps		Y/N	
Hydraulic reservoir			Quarter (weight imperial)
			Liter (volume metric)
Speed forward, min-max*	0	min	Kilometer per hour (speed metric)
	0		Miles per hour (speed imperial)
	10.5	max	Kilometer per hour (speed metric)
	6.5		Miles per hour (speed imperial)
Speed reverse, min-max*		min	Kilometer per hour (speed metric)
			Miles per hour (speed imperial)
		max	Kilometer per hour (speed metric)
			Miles per hour (speed imperial)
Cutting Deck			
Cutting width*	76		Centimeter (measurement metric)
	30		Inch (measurement imperial long)

Cutting deck type	stamped		
Cutting methods (<i>Bioclip, mulching/rear disc., mulch/side disc., collect/mulch/rear, collect/mulch/side, etc.</i>)			
Cutting deck material			
Deck thickness	2.4		Millimeter (measurement metric)
	13		Gauge (measurement imperial)
Cutting height, min-max*	4	min	Millimeter (measurement metric)
	1.5		Inch (measurement imperial long)
	10	max	Millimeter (measurement metric)
	4		Inch (measurement imperial long)
Cutting height steps			
Blade engagement	manual		
Clutch rating*			Newtonmeter (energy metric)
			Foot-pound force (energy imperial)
Blades	1		Pieces (quantity)
Blade-tip speed*			Meter per second (speed metric)
			Feet per minute (speed imperial)
Anti-scalp wheels	N/A		
Nose roller		Y/N	
Deck lifting system			
Powder-coated cutting deck		Y/N	
Spindle/mandrel type			
Greasable mandrels		Y/N	
Deck Wash Port		Y/N	
Other			
ROPS	No	Y/N	
Flat-free tyres	No	Y/N	
Seat material	vinyl		
Seat suspension	No	Y/N	
Seat springs	Yes	Y/N	
Seat back height			
Armrests	No	Y/N	
Headlights	No	Y/N	
Fuel level window		Y/N	
Hour meter	No		
Cup holder		Y/N	
Dimensions*			
Tyre size, front	11	Diameter	Inch (measurement imperial short)
	4	Width	Inch (measurement imperial short)
	5	Diameter wheel	Inch (measurement imperial short)
Tyre size, rear	18	Diameter	Inch (measurement imperial short)
	6.5	Width	Inch (measurement imperial short)
	8	Diameter wheel	Inch (measurement imperial short)
Wheelbase			Centimeter (measurement metric)
			Inch (measurement imperial short)
Base machine, length			Centimeter (measurement metric)
			Inch (measurement imperial long)
Base machine, width (chute down)			Centimeter (measurement metric)
			Inch (measurement imperial long)
Base machine, width (chute up)			Centimeter (measurement metric)
			Inch (measurement imperial long)
Base machine, height (ROPS down)			Centimeter (measurement metric)
			Inch (measurement imperial long)
Base machine, height (ROPS up)			Centimeter (measurement metric)
			Inch (measurement imperial long)
Weight	179.2		Kilo (weight metric)
	395		Pounds (weight imperial)
Productivity			
Productivity*	6,475		Square meter per hour (coverage metric)
	1.6		Acres per hour (coverage imperial)
Sound and noise data			

Sound level			Decibel (energy)
Logistics*			
Packaging Type			
Packaging size, LxWxH		Length	Millimeter (measurement metric)
			Inch (measurement imperial long)
		Width	Millimeter (measurement metric)
			Inch (measurement imperial long)
		Height	Millimeter (measurement metric)
			Inch (measurement imperial long)
Packaging volume			Cubic meter (volume metric)
			Cubic feet (volume imperial)
Packaged weight	231.3		Kilo (weight metric)
	510		Pounds (weight imperial)
Pallet Size, LxWxH		Length	Millimeter (measurement metric)
			Inch (measurement imperial long)
		Width	Millimeter (measurement metric)
			Inch (measurement imperial long)
		Height	Millimeter (measurement metric)
			Inch (measurement imperial long)
Quantity per pallet		New item	Pieces (quantity)
Quantity per trailer (53')			Pieces (quantity)
Quantity per container			Pieces (quantity)
			Pieces (quantity)
			Pieces (quantity)
Warranty			
Homeowner Warranty			
Commercial Warranty			
Accessories			
Collection System (May Require Blower, Adapter Kit or Drive Kit)	966 47 69-01		2 Bag - 6 Bushel
Blower, Adapter Kit or Drive Kit			N/A
Mulch kit		960 71 00-25	
Headlight Kit			N/A
Arm rest kit		532 42 14-99	
Battery Manager/charger		539 12 29-94	
OCDL (Op control discharge chute)			N/A
ROPS			N/A
Fast Moving Parts			
Super High lift Blade			N/A
High lift Blade		532 41 92-74	
Low lift Blade		532 41 92-73	
Mulch Blade		532 41 92-74	
Reverse Lift Mulch Blade			N/A
Blade Spindle Assembly		532 18 72-92	
Blade Bolt		532 19 30-03	
Deck Belt		574 17 30-02	
Hydro Pump Belt		539 12 08-06	
Hydro Oil Filter			N/A
PTO Switch			N/A
Safety Switches		539 10 10-80	
Brake Switch		539 10 10-80	
Seat Switch		539 13 21-40	
Electric clutch			N/A
Dampener		539 11 44-53	
Deck Nose Roller			N/A
Anti-Scalp Roller			N/A
Roller Bolt			N/A